

1	104.22.0.1.LA	Tappet-spring lat. conn. NO
2	104.22.0.1.LC	Tappet-spring lat. conn. NC
3	104.22.0.1.PA	Tappet-spring rear conn. NO
4	104.22.0.1.PC	Tappet-spring rear conn. NC
5	104.22.11.1.LA	Pneumatic-spring lat. conn. NO
6	104.22.11.1.LC	Pneumatic-spring lat. conn. NC
7	104.22.11.1.PA	Pneumatic-spring rear conn. NO
8	104.22.11.1.PC	Pneumatic-spring rear conn. NC
9	104.22.2.1.LA	Lever roller plastic-spring, lat. conn. N.O.
10	104.22.2.1.LC	Lever roller plastic-spring, lat. conn. N.C.
11	104.22.2.1.PA	Lever roller plastic-spring, rear conn. N.O.
12	104.22.2.1.PC	Lever roller plastic-spring, rear conn. N.C.
13	104.22.2.1/1.LA	Lev. roller ball bearing-spring, lat. conn. N.O.
14	104.22.2.1/1.LC	Lev. roller ball bearing-spring, lat. conn. N.C.
15	104.22.2.1/1.PA	Lev. roller ball bearing-spring, rear conn. N.O.
16	104.22.2.1/1.PC	Lev. roller ball bearing-spring, rear conn. N.C.
17	104.22.3.1.LA	Lever unidir. - spring, lat. connections N.O.
18	104.22.3.1.LC	Lever unidir. - spring, lat. connections N.C.
19	104.22.3.1.PA	Lever unidir. - spring, rear connections N.O.
20	104.22.3.1.PC	Lever unidir. - spring, rear connections N.C.
21	104.22.6.22/1.LA	Push button red-spring lat. conn. NO
22	104.22.6.22/1.LC	Push button red-spring lat. conn. NC
23	104.22.6.22/1.PA	Push button red-spring rear conn. NO
24	104.22.6.22/1.PC	Push button red-spring rear conn. NC
25	104.22.6.22/2.LA	Push button black-spring lat. conn. NO
26	104.22.6.22/2.LC	Push button black-spring lat. conn. NC
27	104.22.6.22/2.PA	Push button black-spring rear conn. NO
28	104.22.6.22/2.PC	Push button black-spring rear conn. NC
29	104.22.6.22/3.LA	Push button green-spring lat. conn. NO
30	104.22.6.22/3.LC	Push button green-spring lat. conn. NC
31	104.22.6.22/3.PA	Push button green-spring rear conn. NO
32	104.22.6.22/3.PC	Push button green-spring rear conn. NC
33	104.22.6.22/4.LA	Push button yellow-spring lat. conn. NO
34	104.22.6.22/4.LC	Push button yellow-spring lat. conn. NC
35	104.22.6.22/4.PA	Push button yellow-spring rear conn. NO
36	104.22.6.22/4.PC	Push button yellow-spring rear conn. NC
37	104.22.6.23/1.LA	Rais. push butt. red-spring lat. conn. NO
38	104.22.6.23/1.LC	Rais. push butt. red-spring lat. conn. NC
39	104.22.6.23/1.PA	Rais. push butt. red-spring rear conn. NO
40	104.22.6.23/1.PC	Rais. push butt. red-spring rear conn. NC
41	104.22.6.23/2.LA	Rais. push butt. black-spring lat. conn. NO
42	104.22.6.23/2.LC	Rais. push butt. black-spring lat. conn. NC
43	104.22.6.23/2.PA	Rais. push butt. black-spring rear conn. NO
44	104.22.6.23/2.PC	Rais. push butt. black-spring rear conn. NC
45	104.22.6.23/3.LA	Rais. push butt. green-spring lat. conn. NO
46	104.22.6.23/3.LC	Rais. push butt. green-spring lat. conn. NC
47	104.22.6.23/3.PA	Rais. push butt. green-spring rear conn. NO
48	104.22.6.23/3.PC	Rais. push butt. green-spring rear conn. NC
49	104.22.6.23/4.LA	Rais. push butt. yellow-spring lat. conn. NO
50	104.22.6.23/4.LC	Rais. push butt. yellow-spring lat. conn. NC
51	104.22.6.23/4.PA	Rais. push butt. yellow-spring rear conn. NO
52	104.22.6.23/4.PC	Rais. push butt. yellow-spring rear conn. NC
53	104.22.6.25.LA	Palm button 2 pos. lat. conn. NO
54	104.22.6.25.LC	Palm button 2 pos. lat. conn. NC
55	104.22.6.25.PA	Palm button 2 pos. rear conn. NO
56	104.22.6.25.PC	Palm button 2 pos. rear conn. NC
57	104.22.6.27.LA	Switch 2 pos. long lever lat. conn. NO
58	104.22.6.27.LC	Switch 2 pos. long lever lat. conn. NC
59	104.22.6.27.PA	Switch 2 pos. long lever rear conn. NO
60	104.22.6.27.PC	Switch 2 pos. long lever rear conn. NC
61	104.22.6.28.LA	Key Switch 2 pos. lat. conn. NO
62	104.22.6.28.LC	Key Switch 2 pos. lat. conn. NC
63	104.22.6.28.PA	Key Switch 2 pos. rear conn. NO
64	104.22.6.28.PC	Key Switch 2 pos. rear conn. NC
65	104.22.6.30.LA	Switch 2 pos.short lever lat. conn. NO
66	104.22.6.30.LC	Switch 2 pos.short lever lat. conn. NC
67	104.22.6.30.PA	Switch 2 pos.short lever rear conn. NO
68	104.22.6.30.PC	Switch 2 pos.short lever rear conn. NC
69	104.22.6.31.LA	Push button 2 pos. lat. conn. NO
70	104.22.6.31.LC	Push button 2 pos. lat. conn. NC
71	104.22.6.31.PA	Push button 2 pos. rear conn. NO
72	104.22.6.31.PC	Push button 2 pos. rear conn. NC
73		
74	104.52.6.22/1.L	Push button red-spring lat. conn.
75	104.52.6.22/1.P	Push button red-spring rear conn.
76	104.52.6.22/2.L	Push button black-spring lat. conn.
77	104.52.6.22/2.P	Push button black-spring rear conn.
78	104.52.6.22/3.L	Push button green-spring lat. conn.
79	104.52.6.22/3.P	Push button green-spring rear conn.
80	104.52.6.22/4.L	Push button yellow-spring lat. conn.
81	104.52.6.22/4.P	Push button yellow-spring rear conn.

82	104.52.6.23/1.L	Raised Push button red-spring lat. conn.
83	104.52.6.23/1.P	Raised Push button red-spring rear conn.
84	104.52.6.23/2.L	Raised Push button black-spring lat. conn.
85	104.52.6.23/2.P	Raised Push button black-spring rear conn.
86	104.52.6.23/3.L	Raised Push button green-spring lat. conn.
87	104.52.6.23/3.P	Raised Push button green-spring rear conn.
88	104.52.6.23/4.L	Raised Push button yellow-spring lat. conn.
89	104.52.6.23/4.P	Raised Push button yellow-spring rear conn.
90	104.52.6.25.L	Palm button 2 pos. lat. conn.
91	104.52.6.25.P	Palm button 2 pos. rear conn.
92	104.52.6.27.L	Switch 2 pos. long lever lat. conn.
93	104.52.6.27.P	Switch 2 pos. long lever rear conn.
94	104.52.6.28.L	Key Switch 2 pos. lat. conn.
95	104.52.6.28.P	Key Switch 2 pos. rear conn.
96	104.52.6.30.L	Switch 2 pos. short lever lat. conn.
97	104.52.6.30.P	Switch 2 pos. short lever rear conn.
98	104.52.6.31.L	Push button 2 pos. lat. conn.
99	104.52.6.31.P	Push button 2 pos. rear conn.
100		
101	104.53.32.6.27.0.L	OC switch long lever 3 pos. instab. lat. conn.
102	104.53.32.6.27.0.P	OC switch long lever 3 pos. instab. rear conn.
103	104.53.32.6.27.1.L	OC switch long lever 3 pos. stab. lat. conn.
104	104.53.32.6.27.1.P	OC switch long lever 3 pos. stab. rear conn.
105	104.53.32.6.28.0.L	OC key switch 3 pos. instab. lat. conn.
106	104.53.32.6.28.0.P	OC key switch 3 pos. instab. rear conn.
107	104.53.32.6.28.1.L	OC key switch 3 pos. stab. lat. conn.
108	104.53.32.6.28.1.P	OC key switch 3 pos. stab. rear conn.
109	104.53.32.6.30.0.L	OC switch short lever 3 pos. instab. lat. conn.
110	104.53.32.6.30.0.P	OC switch short lever 3 pos. instab. rear conn.
111	104.53.32.6.30.1.L	OC switch short lever 3 pos. stab. lat. conn.
112	104.53.32.6.30.1.P	OC switch short lever 3 pos. stab. rear conn.
113	104.53.33.6.27.0.L	PC switch long lever 3 pos. instab. lat. conn.
114	104.53.33.6.27.0.P	PC switch long lever 3 pos. instab. rear conn.
115	104.53.33.6.27.1.L	PC switch long lever 3 pos. stab. lat. conn.
116	104.53.33.6.27.1.P	PC switch long lever 3 pos. stab. rear conn.
117	104.53.33.6.28.0.L	PC key switch 3 pos. instab. lat. conn.
118	104.53.33.6.28.0.P	PC key switch 3 pos. instab. rear conn.
119	104.53.33.6.28.1.L	PC key switch 3 pos. stab. lat. conn.
120	104.53.33.6.28.1.P	PC key switch 3 pos. stab. rear conn.
121	104.53.33.6.30.0.L	PC switch short lever 3 pos. instab. lat. conn.
122	104.53.33.6.30.0.P	PC switch short lever 3 pos. instab. rear conn.
123	104.53.33.6.30.1.L	PC switch short lever 3 pos. stab. lat. conn.
124	104.53.33.6.30.1.P	PC switch short lever 3 pos. stab. rear conn.
125		
126	104.00	Coupler plate c/w valve fixing screws
127	104.11	Complet pneumatic operator
128	104.2.1	Complete lever roller operator
129	104.2.1/1	Complete lever roller ball bearing operator
130	104.3.1	Complete lever unidirectional operator
131	104.6.22/1	Push button red *
132	104.6.22/2	Push button black *
133	104.6.22/3	Push button green *
134	104.6.22/4	Push button yellow *
135	104.6.23/1	Rais. push butt. red *
136	104.6.23/2	Rais. push butt. black *
137	104.6.23/3	Rais. push butt. green *
138	104.6.23/4	Rais. push butt. yellow *
139	104.6.25	Palm button 2 pos. *
140	104.6.27	Switch long lever 2 pos. stable *
141	104.6.27.0	Switch long lever 3 pos. instable *
142	104.6.27.1	Switch long lever 3 pos. stable *
143	104.6.28	Key Switch 2 pos. stable *
144	104.6.28.0	Key Switch 3 pos. instable *
145	104.6.28.1	Key Switch 3 pos. stable *
146	104.6.30	Switch short lever 2 pos. stable *
147	104.32.0.1.LA	Tappet-spring lat. conn. NO
148	104.32.0.1.LC	Tappet-spring lat. conn. NC
149	104.32.0.1.PA	Tappet-spring rear conn. NO
150	104.32.0.1.PC	Tappet-spring rear conn. NC
151	104.32.11.1.LA	Pneumatic-spring lat. conn. NO
152	104.32.11.1.LC	Pneumatic-spring lat. conn. NC
153	104.32.11.1.PA	Pneumatic-spring rear conn. NO
154	104.32.11.1.PC	Pneumatic-spring rear conn. NC
155	104.32.2.1.LA	Lever roller plastic-spring, lat. conn. N.O.
156	104.32.2.1.LC	Lever roller plastic-spring, lat. conn. N.C.
157	104.32.2.1.PA	Lever roller plastic-spring, rear conn. N.O.
158	104.32.2.1.PC	Lever roller plastic-spring, rear conn. N.C.
159	104.32.2.1/1.LA	Lev. roller ball bearing-spring, lat. conn. N.O.
160	104.32.2.1/1.LC	Lev. roller ball bearing-spring, lat. conn. N.C.
161	104.32.2.1/1.PA	Lev. roller ball bearing-spring, rear conn. N.O.
162	104.32.2.1/1.PC	Lev. roller ball bearing-spring, rear conn. N.C.

163	104.32.3.1.LA	Lever unidirectional-spring, lat. conn. N.O.
164	104.32.3.1.LC	Lever unidirectional-spring, lat. conn. N.C.
165	104.32.3.1.PA	Lever unidirectional-spring, rear conn. N.O.
166	104.32.3.1.PC	Lever unidirectional-spring, rear conn. N.C.
167	104.32.6.22/1.LA	Push button red-spring lat. conn. NO
168	104.32.6.22/1.LC	Push button red-spring lat. conn. NC
169	104.32.6.22/1.PA	Push button red-spring rear conn. NO
170	104.32.6.22/1.PC	Push button red-spring rear conn. NC
171	104.32.6.22/2.LA	Push button black-spring lat. conn. NO
172	104.32.6.22/2.LC	Push button black-spring lat. conn. NC
173	104.32.6.22/2.PA	Push button black-spring rear conn. NO
174	104.32.6.22/2.PC	Push button black-spring rear conn. NC
175	104.32.6.22/3.LA	Push button green-spring lat. conn. NO
176	104.32.6.22/3.LC	Push button green-spring lat. conn. NC
177	104.32.6.22/3.PA	Push button green-spring rear conn. NO
178	104.32.6.22/3.PC	Push button green-spring rear conn. NC
179	104.32.6.22/4.LA	Push button yellow-spring lat. conn. NO
180	104.32.6.22/4.LC	Push button yellow-spring lat. conn. NC
181	104.32.6.22/4.PA	Push button yellow-spring rear conn. NO
182	104.32.6.22/4.PC	Push button yellow-spring rear conn. NC
183	104.32.6.23/1.LA	Rais. push butt. red-spring lat. conn. NO
184	104.32.6.23/1.LC	Rais. push butt. red-spring lat. conn. NC
185	104.32.6.23/1.PA	Rais. push butt. red-spring rear conn. NO
186	104.32.6.23/1.PC	Rais. push butt. red-spring rear conn. NC
187	104.32.6.23/2.LA	Rais. push butt. black-spring lat. conn. NO
188	104.32.6.23/2.LC	Rais. push butt. black-spring lat. conn. NC
189	104.32.6.23/2.PA	Rais. push butt. black-spring rear conn. NO
190	104.32.6.23/2.PC	Rais. push butt. black-spring rear conn. NC
191	104.32.6.23/3.LA	Rais. push butt. green-spring lat. conn. NO
192	104.32.6.23/3.LC	Rais. push butt. green-spring lat. conn. NC
193	104.32.6.23/3.PA	Rais. push butt. green-spring rear conn. NO
194	104.32.6.23/3.PC	Rais. push butt. green-spring rear conn. NC
195	104.32.6.23/4.LA	Rais. push butt. yellow-spring lat. conn. NO
196	104.32.6.23/4.LC	Rais. push butt. yellow-spring lat. conn. NC
197	104.32.6.23/4.PA	Rais. push butt. yellow-spring rear conn. NO
198	104.32.6.23/4.PC	Rais. push butt. yellow-spring rear conn. NC
199	104.32.6.25.LA	Palm button 2 pos. lat. conn. NO
200	104.32.6.25.LC	Palm button 2 pos. lat. conn. NC
201	104.32.6.25.PA	Palm button 2 pos. rear conn. NO
202	104.32.6.25.PC	Palm button 2 pos. rear conn. NC
203	104.32.6.27.LA	Switch 2 pos. long lever lat. conn. NO
204	104.32.6.27.LC	Switch 2 pos. long lever lat. conn. NC
205	104.32.6.27.PA	Switch 2 pos. long lever rear conn. NO
206	104.32.6.27.PC	Switch 2 pos. long lever rear conn. NC
207	104.32.6.28.LA	Key Switch 2 pos. lat. conn. NO
208	104.32.6.28.LC	Key Switch 2 pos. lat. conn. NC
209	104.32.6.28.PA	Key Switch 2 pos. rear conn. NO
210	104.32.6.28.PC	Key Switch 2 pos. rear conn. NC
211	104.32.6.30.LA	Switch 2 pos. short lever lat. conn. NO
212	104.32.6.30.LC	Switch 2 pos. short lever lat. conn. NC
213	104.32.6.30.PA	Switch 2 pos. short lever rear conn. NO
214	104.32.6.30.PC	Switch 2 pos. short lever rear conn. NC
215	104.32.6.31.LA	Push button 2 pos. lat. conn. NO
216	104.32.6.31.LC	Push button 2 pos. lat. conn. NC
217	104.32.6.31.PA	Push button 2 pos. rear conn. NO
218	104.32.6.31.PC	Push button 2 pos. rear conn. NC
219	104.6.30.0	Switch short lever 3 pos. instable *
220	104.6.30.1	Switch short lever 3 pos. stable *
221	104.6.31	Push button 2 pos. *
222	104.NA	Contact electric element normally open
223	104.NC	Contact electric element normally closed