

1501.Ø.Stroke								
Stroke / Ø	20	25	32	40	50	63	80	100
5	1501.20.5	1501.25.5	1501.32.5	1501.40.5	1501.50.5	1501.63.5	1501.80.5	1501.100.5
10	1501.20.10	1501.25.10	1501.32.10	1501.40.10	1501.50.10	1501.63.10	1501.80.10	1501.100.10
15	1501.20.15	1501.25.15	1501.32.15	1501.40.15	1501.50.15	1501.63.15	1501.80.15	1501.100.15
20	1501.20.20	1501.25.20	1501.32.20	1501.40.20	1501.50.20	1501.63.20	1501.80.20	1501.100.20
25	1501.20.25	1501.25.25	1501.32.25	1501.40.25	1501.50.25	1501.63.25	1501.80.25	1501.100.25
30	1501.20.30	1501.25.30	1501.32.30	1501.40.30	1501.50.30	1501.63.30	1501.80.30	1501.100.30
40	1501.20.40	1501.25.40	1501.32.40	1501.40.40	1501.50.40	1501.63.40	1501.80.40	1501.100.40
50	1501.20.50	1501.25.50	1501.32.50	1501.40.50	1501.50.50	1501.63.50	1501.80.50	1501.20.50

1511.Ø.Stroke								
Stroke / Ø	20	25	32	40	50	63	80	100
5	1511.20.5	1511.25.5	1511.32.5	1511.40.5	1511.50.5	1511.63.5	1511.80.5	1511.100.5
10	1511.20.10	1511.25.10	1511.32.10	1511.40.10	1511.50.10	1511.63.10	1511.80.10	1511.100.10
15	1511.20.15	1511.25.15	1511.32.15	1511.40.15	1511.50.15	1511.63.15	1511.80.15	1511.100.15
20	1511.20.20	1511.25.20	1511.32.20	1511.40.20	1511.50.20	1511.63.20	1511.80.20	1511.100.20
25	1511.20.25	1511.25.25	1511.32.25	1511.40.25	1511.50.25	1511.63.25	1511.80.25	1511.100.25
30	1511.20.30	1511.25.30	1511.32.30	1511.40.30	1511.50.30	1511.63.30	1511.80.30	1511.100.30
40	1511.20.40	1511.25.40	1511.32.40	1511.40.40	1511.50.40	1511.63.40	1511.80.40	1511.100.40
50	1511.20.50	1511.25.50	1511.32.50	1511.40.50	1511.50.50	1511.63.50	1511.80.50	1511.20.50

1502.Ø.Stroke								
Stroke / Ø	20	25	32	40	50	63	80	100
5	1502.20.5	1502.25.5	1502.32.5	1502.40.5	1502.50.5	1502.63.5	1502.80.5	1502.100.5
10	1502.20.10	1502.25.10	1502.32.10	1502.40.10	1502.50.10	1502.63.10	1502.80.10	1502.100.10

1512.Ø.Stroke								
Stroke / Ø	20	25	32	40	50	63	80	100
5	1512.20.5	1512.25.5	1512.32.5	1512.40.5	1512.50.5	1512.63.5	1512.80.5	1512.100.5
10	1512.20.10	1512.25.10	1512.32.10	1512.40.10	1512.50.10	1512.63.10	1512.80.10	1512.100.10

1503.Ø.Stroke								
Stroke / Ø	20	25	32	40	50	63	80	100
5	1503.20.5	1503.25.5	1503.32.5	1503.40.5	1503.50.5	1503.63.5	1503.80.5	1503.100.5
10	1503.20.10	1503.25.10	1503.32.10	1503.40.10	1503.50.10	1503.63.10	1503.80.10	1503.100.10

1513.Ø.Stroke								
Stroke / Ø	20	25	32	40	50	63	80	100
5	1513.20.5	1513.25.5	1513.32.5	1513.40.5	1513.50.5	1513.63.5	1513.80.5	1513.100.5
10	1513.20.10	1513.25.10	1513.32.10	1513.40.10	1513.50.10	1513.63.10	1513.80.10	1513.100.10

1504.Ø.Stroke								
Stroke / Ø	20	25	32	40	50	63	80	100
5	1504.20.5	1504.25.5	1504.32.5	1504.40.5	1504.50.5	1504.63.5	1504.80.5	1504.100.5

10	1504.20.10	1504.25.10	1504.32.10	1504.40.10	1504.50.10	1504.63.10	1504.80.10	1504.100.10
15	1504.20.15	1504.25.15	1504.32.15	1504.40.15	1504.50.15	1504.63.15	1504.80.15	1504.100.15
20	1504.20.20	1504.25.20	1504.32.20	1504.40.20	1504.50.20	1504.63.20	1504.80.20	1504.100.20
25	1504.20.25	1504.25.25	1504.32.25	1504.40.25	1504.50.25	1504.63.25	1504.80.25	1504.100.25
30	1504.20.30	1504.25.30	1504.32.30	1504.40.30	1504.50.30	1504.63.30	1504.80.30	1504.100.30
40	1504.20.40	1504.25.40	1504.32.40	1504.40.40	1504.50.40	1504.63.40	1504.80.40	1504.100.40
50	1504.20.50	1504.25.50	1504.32.50	1504.40.50	1504.50.50	1504.63.50	1504.80.50	1504.20.50

1514.Ø.Stroke								
Stroke / Ø	20	25	32	40	50	63	80	100
5	1514.20.5	1514.25.5	1514.32.5	1514.40.5	1514.50.5	1514.63.5	1514.80.5	1514.100.5
10	1514.20.10	1514.25.10	1514.32.10	1514.40.10	1514.50.10	1514.63.10	1514.80.10	1514.100.10
15	1514.20.15	1514.25.15	1514.32.15	1514.40.15	1514.50.15	1514.63.15	1514.80.15	1514.100.15
20	1514.20.20	1514.25.20	1514.32.20	1514.40.20	1514.50.20	1514.63.20	1514.80.20	1514.100.20
25	1514.20.25	1514.25.25	1514.32.25	1514.40.25	1514.50.25	1514.63.25	1514.80.25	1514.100.25
30	1514.20.30	1514.25.30	1514.32.30	1514.40.30	1514.50.30	1514.63.30	1514.80.30	1514.100.30
40	1514.20.40	1514.25.40	1514.32.40	1514.40.40	1514.50.40	1514.63.40	1514.80.40	1514.100.40
50	1514.20.50	1514.25.50	1514.32.50	1514.40.50	1514.50.50	1514.63.50	1514.80.50	1514.20.50

1500.Ø.09F - Clevis, rear
1500.Ø.09/1F - Clevis, male rear
1500.15F - Slot fixing screw M6 (x) (from Ø20 to Ø32)
1500.16F - Slot fixing screw M8 (x) (from Ø40 to Ø63)
1500.18F - Slot fixing screw M10 (x) (from Ø80 to Ø100)
1500.Ø.17F- Nipple ISO (x)
1502.08.4
1502.12.4
1502.12.10
1502.16.04
1502.16.08