

17001A.A	FIL 1/8" 05
17001A.B	FIL 1/8" 20
17001A.C	FIL 1/8" 50
17001B.A	FIL 1/4" 05
17001B.B	FIL 1/4" 20
17001B.C	FIL 1/4" 50
17001A.A.P	FIL 1/8" 05 with bowl protection
17001A.B.P	FIL 1/8" 20 with bowl protection
17001A.C.P	FIL 1/8" 50 with bowl protection
17001B.A.P	FIL 1/4" 05 with bowl protection
17001B.B.P	FIL 1/4" 20 with bowl protection
17001B.C.P	FIL 1/4" 50 with bowl protection
17002A.A	REG 1/8" 02
17002A.B	REG 1/8" 04
17002A.C	REG 1/8" 08
17002A.D	REG 1/8" 012
17002B.A	REG 1/4" 02
17002B.B	REG 1/4" 04
17002B.C	REG 1/4" 08
17002B.D	REG 1/4" 012
17002A.A.SM	REG 1/8" 02 Improved relieving
17002A.B.SM	REG 1/8" 04 Improved relieving
17002A.C.SM	REG 1/8" 08 Improved relieving
17002A.D.SM	REG 1/8" 012 Improved relieving
17002B.A.SM	REG 1/4" 02 Improved relieving
17002B.B.SM	REG 1/4" 04 Improved relieving
17002B.C.SM	REG 1/4" 08 Improved relieving
17002B.D.SM	REG 1/4" 012 Improved relieving
17002A.A.L	REG 1/8" 02 No relieving
17002A.B.L	REG 1/8" 04 No relieving
17002A.C.L	REG 1/8" 08 No relieving
17002A.D.L	REG 1/8" 012 No relieving
17002B.A.L	REG 1/4" 02 No relieving
17002B.B.L	REG 1/4" 04 No relieving
17002B.C.L	REG 1/4" 08 No relieving
17002B.D.L	REG 1/4" 012 No relieving
17003A	LUB 1/8"
17003B	LUB 1/4"
17003A.P	LUB 1/8" Complete with bowl protection
17003B.P	LUB 1/4" Complete with bowl protection
17004A.A.A	FR 1/8" 05 02
17004A.A.B	FR 1/8" 05 04
17004A.A.C	FR 1/8" 05 08
17004A.A.D	FR 1/8" 05 012
17004A.B.A	FR 1/8" 20 02
17004A.B.B	FR 1/8" 20 04
17004A.B.C	FR 1/8" 20 08
17004A.B.D	FR 1/8" 20 012
17004A.C.A	FR 1/8" 50 02
17004A.C.B	FR 1/8" 50 04
17004A.C.C	FR 1/8" 50 08
17004A.C.D	FR 1/8" 50 012
17004B.A.A	FR 1/4" 05 02
17004B.A.B	FR 1/4" 05 04
17004B.A.C	FR 1/4" 05 08
17004B.A.D	FR 1/4" 05 012
17004B.B.A	FR 1/4" 20 02
17004B.B.B	FR 1/4" 20 04
17004B.B.C	FR 1/4" 20 08
17004B.B.D	FR 1/4" 20 012
17004B.C.A	FR 1/4" 50 02
17004B.C.B	FR 1/4" 50 04
17004B.C.C	FR 1/4" 50 08
17004B.C.D	FR 1/4" 50 012
17004A.A.A.P	FR 1/8" 05 02 with bowl protection
17004A.A.B.P	FR 1/8" 05 04 with bowl protection
17004A.A.C.P	FR 1/8" 05 08 with bowl protection
17004A.A.D.P	FR 1/8" 05 012 with bowl protection
17004A.B.A.P	FR 1/8" 20 02 with bowl protection
17004A.B.B.P	FR 1/8" 20 04 with bowl protection
17004A.B.C.P	FR 1/8" 20 08 with bowl protection
17004A.B.D.P	FR 1/8" 20 012 with bowl protection
17004A.C.A.P	FR 1/8" 50 02 with bowl protection
17004A.C.B.P	FR 1/8" 50 04 with bowl protection
17004A.C.C.P	FR 1/8" 50 08 with bowl protection
17004A.C.D.P	FR 1/8" 50 012 with bowl protection
17004B.A.A.P	FR 1/4" 05 02 with bowl protection

17004B.A.B.P	FR 1/4" 05 04 with bowl protection
17004B.A.C.P	FR 1/4" 05 08 with bowl protection
17004B.A.D.P	FR 1/4" 05 012 with bowl protection
17004B.B.A.P	FR 1/4" 20 02 with bowl protection
17004B.B.B.P	FR 1/4" 20 04 with bowl protection
17004B.B.C.P	FR 1/4" 20 08 with bowl protection
17004B.B.D.P	FR 1/4" 20 012 with bowl protection
17004B.C.A.P	FR 1/4" 50 02 with bowl protection
17004B.C.B.P	FR 1/4" 50 04 with bowl protection
17004B.C.C.P	FR 1/4" 50 08 with bowl protection
17004B.C.D.P	FR 1/4" 50 012 with bowl protection
17006A.A.A	FR+L 1/8" 05 02
17006A.A.B	FR+L 1/8" 05 04
17006A.A.C	FR+L 1/8" 05 08
17006A.A.D	FR+L 1/8" 05 012
17006A.B.A	FR+L 1/8" 20 02
17006A.B.B	FR+L 1/8" 20 04
17006A.B.C	FR+L 1/8" 20 08
17006A.B.D	FR+L 1/8" 20 012
17006A.C.A	FR+L 1/8" 50 02
17006A.C.B	FR+L 1/8" 50 04
17006A.C.C	FR+L 1/8" 50 08
17006A.C.D	FR+L 1/8" 50 012
17006B.A.A	FR+L 1/4" 05 02
17006B.A.B	FR+L 1/4" 05 04
17006B.A.C	FR+L 1/4" 05 08
17006B.A.D	FR+L 1/4" 05 012
17006B.B.A	FR+L 1/4" 20 02
17006B.B.B	FR+L 1/4" 20 04
17006B.B.C	FR+L 1/4" 20 08
17006B.B.D	FR+L 1/4" 20 012
17006B.C.A	FR+L 1/4" 50 02
17006B.C.B	FR+L 1/4" 50 04
17006B.C.C	FR+L 1/4" 50 08
17006B.C.D	FR+L 1/4" 50 012
17006A.A.A.P	FR+L 1/8" 05 02 with bowl protection
17006A.A.B.P	FR+L 1/8" 05 04 with bowl protection
17006A.A.C.P	FR+L 1/8" 05 08 with bowl protection
17006A.A.D.P	FR+L 1/8" 05 012 with bowl protection
17006A.B.A.P	FR+L 1/8" 20 02 with bowl protection
17006A.B.B.P	FR+L 1/8" 20 04 with bowl protection
17006A.B.C.P	FR+L 1/8" 20 08 with bowl protection
17006A.B.D.P	FR+L 1/8" 20 012 with bowl protection
17006A.C.A.P	FR+L 1/8" 50 02 with bowl protection
17006A.C.B.P	FR+L 1/8" 50 04 with bowl protection
17006A.C.C.P	FR+L 1/8" 50 08 with bowl protection
17006A.C.D.P	FR+L 1/8" 50 012 with bowl protection
17006B.A.A.P	FR+L 1/4" 05 02 with bowl protection
17006B.A.B.P	FR+L 1/4" 05 04 with bowl protection
17006B.A.C.P	FR+L 1/4" 05 08 with bowl protection
17006B.A.D.P	FR+L 1/4" 05 012 with bowl protection
17006B.B.A.P	FR+L 1/4" 20 02 with bowl protection
17006B.B.B.P	FR+L 1/4" 20 04 with bowl protection
17006B.B.C.P	FR+L 1/4" 20 08 with bowl protection
17006B.B.D.P	FR+L 1/4" 20 012 with bowl protection
17006B.C.A.P	FR+L 1/4" 50 02 with bowl protection
17006B.C.B.P	FR+L 1/4" 50 04 with bowl protection
17006B.C.C.P	FR+L 1/4" 50 08 with bowl protection
17006B.C.D.P	FR+L 1/4" 50 012 with bowl protection
17007A.A.A	F+R+L 1/8" 05 02
17007A.A.B	F+R+L 1/8" 05 04
17007A.A.C	F+R+L 1/8" 05 08
17007A.A.D	F+R+L 1/8" 05 012
17007A.B.A	F+R+L 1/8" 20 02
17007A.B.B	F+R+L 1/8" 20 04
17007A.B.C	F+R+L 1/8" 20 08
17007A.B.D	F+R+L 1/8" 20 012
17007A.C.A	F+R+L 1/8" 50 02
17007A.C.B	F+R+L 1/8" 50 04
17007A.C.C	F+R+L 1/8" 50 08
17007A.C.D	F+R+L 1/8" 50 012
17007B.A.A	F+R+L 1/4" 05 02
17007B.A.B	F+R+L 1/4" 05 04

17007B.A.C	F+R+L 1/4" 05 08
17007B.A.D	F+R+L 1/4" 05 012
17007B.B.A	F+R+L 1/4" 20 02
17007B.B.B	F+R+L 1/4" 20 04
17007B.B.C	F+R+L 1/4" 20 08
17007B.B.D	F+R+L 1/4" 20 012
17007B.C.A	F+R+L 1/4" 50 02
17007B.C.B	F+R+L 1/4" 50 04
17007B.C.C	F+R+L 1/4" 50 08
17007B.C.D	F+R+L 1/4" 50 012
17007A.A.A.P	F+R+L 1/8" 05 02 with bowl protection
17007A.A.B.P	F+R+L 1/8" 05 04 with bowl protection
17007A.A.C.P	F+R+L 1/8" 05 08 with bowl protection
17007A.A.D.P	F+R+L 1/8" 05 012 with bowl protection
17007A.B.A.P	F+R+L 1/8" 20 02 with bowl protection
17007A.B.B.P	F+R+L 1/8" 20 04 with bowl protection
17007A.B.C.P	F+R+L 1/8" 20 08 with bowl protection
17007A.B.D.P	F+R+L 1/8" 20 012 with bowl protection
17007A.C.A.P	F+R+L 1/8" 50 02 with bowl protection
17007A.C.B.P	F+R+L 1/8" 50 04 with bowl protection
17007A.C.C.P	F+R+L 1/8" 50 08 with bowl protection
17007A.C.D.P	F+R+L 1/8" 50 012 with bowl protection
17007B.A.A.P	F+R+L 1/4" 05 02 with bowl protection
17007B.A.B.P	F+R+L 1/4" 05 04 with bowl protection
17007B.A.C.P	F+R+L 1/4" 05 08 with bowl protection
17007B.A.D.P	F+R+L 1/4" 05 012 with bowl protection
17007B.B.A.P	F+R+L 1/4" 20 02 with bowl protection
17007B.B.B.P	F+R+L 1/4" 20 04 with bowl protection
17007B.B.C.P	F+R+L 1/4" 20 08 with bowl protection
17007B.B.D.P	F+R+L 1/4" 20 012 with bowl protection
17007B.C.A.P	F+R+L 1/4" 50 02 with bowl protection
17007B.C.B.P	F+R+L 1/4" 50 04 with bowl protection
17007B.C.C.P	F+R+L 1/4" 50 08 with bowl protection
17007B.C.D.P	F+R+L 1/4" 50 012 with bowl protection
17008A.E	Coalescing filter 1/8"
17008B.E	Coalescing filter 1/4"
17008A.E.P	Coalescing filter 1/8" with bowl protection
17008B.E.P	Coalescing filter 1/4" with bowl protection
17022A.A	1/8" - 0+2 bar
17022A.B	1/8" - 0+4 bar
17022A.C	1/8" - 0+8 bar
17022A.D	1/8" - 0+12 bar
17022B.A	1/4" - 0+2 bar
17022B.B	1/4" - 0+4 bar
17022B.C	1/4" - 0+8 bar
17022B.D	1/4" - 0+12 bar
17022A.A.L	1/8" - 0+2 bar no relieving
17022A.B.L	1/8" - 0+4 bar no relieving
17022A.C.L	1/8" - 0+8 bar no relieving
17022A.D.L	1/8" - 0+12 bar no relieving
17022B.A.L	1/4" - 0+2 bar no relieving
17022B.B.L	1/4" - 0+4 bar no relieving
17022B.C.L	1/4" - 0+8 bar no relieving
17022B.D.L	1/4" - 0+12 bar no relieving
17030.A	Shut-off valve 3/2 1/4"
17030.B	Shut-off valve 3/2 1/4" lockable
17030.M2	Electric shut-off valve 3/2 1/4"
170B2AA	1/8" - 0+2 bar
170B2AB	1/8" - 0+4 bar
170B2AC	1/8" - 0+8 bar
170B2AD	1/8" - 0+12 bar
170B2BA	1/4" - 0+2 bar
170B2BB	1/4" - 0+4 bar
170B2BC	1/4" - 0+8 bar
170B2BD	1/4" - 0+12 bar
170M2AA	1/8" - 0+2 bar
170M2AB	1/8" - 0+4 bar
170M2AC	1/8" - 0+8 bar
170M2AD	1/8" - 0+12 bar
170M2BA	1/4" - 0+2 bar
170M2BB	1/4" - 0+4 bar
170M2BC	1/4" - 0+8 bar

170M2BD	1/4" - 0+12 bar
170M5	Fixing bracket
170M6	Assembling kit (flanges + seals + screws)
17101A.A	FIL 1/8" 05
17101A.B	FIL 1/8" 20
17101A.C	FIL 1/8" 50
17101B.A	FIL 1/4" 05
17101B.B	FIL 1/4" 20
17101B.C	FIL 1/4" 50
17101A.A.P	FIL 1/8" 05 with bowl protection
17101A.B.P	FIL 1/8" 20 with bowl protection
17101A.C.P	FIL 1/8" 50 with bowl protection
17101B.A.P	FIL 1/4" 05 with bowl protection
17101B.B.P	FIL 1/4" 20 with bowl protection
17101B.C.P	FIL 1/4" 50 with bowl protection
17102A.A	REG 1/8" 02
17102A.B	REG 1/8" 04
17102A.C	REG 1/8" 08
17102A.D	REG 1/8" 012
17102B.A	REG 1/4" 02
17102B.B	REG 1/4" 04
17102B.C	REG 1/4" 08
17102B.D	REG 1/4" 012
17102A.A.SM	REG 1/8" 02 Improved relieving
17102A.B.SM	REG 1/8" 04 Improved relieving
17102A.C.SM	REG 1/8" 08 Improved relieving
17102A.D.SM	REG 1/8" 012 Improved relieving
17102B.A.SM	REG 1/4" 02 Improved relieving
17102B.B.SM	REG 1/4" 04 Improved relieving
17102B.C.SM	REG 1/4" 08 Improved relieving
17102B.D.SM	REG 1/4" 012 Improved relieving
17102A.A.L	REG 1/8" 02 no relieving
17102A.B.L	REG 1/8" 04 no relieving
17102A.C.L	REG 1/8" 08 no relieving
17102A.D.L	REG 1/8" 012 no relieving
17102B.A.L	REG 1/4" 02 no relieving
17102B.B.L	REG 1/4" 04 no relieving
17102B.C.L	REG 1/4" 08 no relieving
17102B.D.L	REG 1/4" 012 no relieving
17103A	LUB 1/8"
17103B	LUB 1/4"
17103A.P	LUB 1/8" with bowl protection
17103B.P	LUB 1/4" with bowl protection
17104A.A.A	FR 1/8" 05 02
17104A.A.B	FR 1/8" 05 04
17104A.A.C	FR 1/8" 05 08
17104A.A.D	FR 1/8" 05 012
17104A.B.A	FR 1/8" 20 02
17104A.B.B	FR 1/8" 20 04
17104A.B.C	FR 1/8" 20 08
17104A.B.D	FR 1/8" 20 012
17104A.C.A	FR 1/8" 50 02
17104A.C.B	FR 1/8" 50 04
17104A.C.C	FR 1/8" 50 08
17104A.C.D	FR 1/8" 50 012
17104B.A.A	FR 1/4" 05 02
17104B.A.B	FR 1/4" 05 04
17104B.A.C	FR 1/4" 05 08
17104B.A.D	FR 1/4" 05 012
17104B.B.A	FR 1/4" 20 02
17104B.B.B	FR 1/4" 20 04
17104B.B.C	FR 1/4" 20 08
17104B.B.D	FR 1/4" 20 012
17104B.C.A	FR 1/4" 50 02
17104B.C.B	FR 1/4" 50 04
17104B.C.C	FR 1/4" 50 08
17104B.C.D	FR 1/4" 50 012
17104A.A.A.P	FR 1/8" 05 02 with bowl protection
17104A.A.B.P	FR 1/8" 05 04 with bowl protection
17104A.A.C.P	FR 1/8" 05 08 with bowl protection
17104A.A.D.P	FR 1/8" 05 012 with bowl protection
17104A.B.A.P	FR 1/8" 20 02 with bowl protection

17104A.B.B.P	FR 1/8" 20 04 with bowl protection
17104A.B.C.P	FR 1/8" 20 08 with bowl protection
17104A.B.D.P	FR 1/8" 20 012 with bowl protection
17104A.C.A.P	FR 1/8" 50 02 with bowl protection
17104A.C.B.P	FR 1/8" 50 04 with bowl protection
17104A.C.C.P	FR 1/8" 50 08 with bowl protection
17104A.C.D.P	FR 1/8" 50 012 with bowl protection
17104B.A.A.P	FR 1/4" 05 02 with bowl protection
17104B.A.B.P	FR 1/4" 05 04 with bowl protection
17104B.A.C.P	FR 1/4" 05 08 with bowl protection
17104B.A.D.P	FR 1/4" 05 012 with bowl protection
17104B.B.A.P	FR 1/4" 20 02 with bowl protection
17104B.B.B.P	FR 1/4" 20 04 with bowl protection
17104B.B.C.P	FR 1/4" 20 08 with bowl protection
17104B.B.D.P	FR 1/4" 20 012 with bowl protection
17104B.C.A.P	FR 1/4" 50 02 with bowl protection
17104B.C.B.P	FR 1/4" 50 04 with bowl protection
17104B.C.C.P	FR 1/4" 50 08 with bowl protection
17104B.C.D.P	FR 1/4" 50 012 with bowl protection
17106A.A.A	FR+L 1/8" 05 02
17106A.A.B	FR+L 1/8" 05 04
17106A.A.C	FR+L 1/8" 05 08
17106A.A.D	FR+L 1/8" 05 012
17106A.B.A	FR+L 1/8" 20 02
17106A.B.B	FR+L 1/8" 20 04
17106A.B.C	FR+L 1/8" 20 08
17106A.B.D	FR+L 1/8" 20 012
17106A.C.A	FR+L 1/8" 50 02
17106A.C.B	FR+L 1/8" 50 04
17106A.C.C	FR+L 1/8" 50 08
17106A.C.D	FR+L 1/8" 50 012
17106B.A.A	FR+L 1/4" 05 02
17106B.A.B	FR+L 1/4" 05 04
17106B.A.C	FR+L 1/4" 05 08
17106B.A.D	FR+L 1/4" 05 012
17106B.B.A	FR+L 1/4" 20 02
17106B.B.B	FR+L 1/4" 20 04
17106B.B.C	FR+L 1/4" 20 08
17106B.B.D	FR+L 1/4" 20 012
17106B.C.A	FR+L 1/4" 50 02
17106B.C.B	FR+L 1/4" 50 04
17106B.C.C	FR+L 1/4" 50 08
17106B.C.D	FR+L 1/4" 50 012
17106A.A.A.P	FR+L 1/8" 05 02 with bowl protection
17106A.A.B.P	FR+L 1/8" 05 04 with bowl protection
17106A.A.C.P	FR+L 1/8" 05 08 with bowl protection
17106A.A.D.P	FR+L 1/8" 05 012 with bowl protection
17106A.B.A.P	FR+L 1/8" 20 02 with bowl protection
17106A.B.B.P	FR+L 1/8" 20 04 with bowl protection
17106A.B.C.P	FR+L 1/8" 20 08 with bowl protection
17106A.B.D.P	FR+L 1/8" 20 012 with bowl protection
17106A.C.A.P	FR+L 1/8" 50 02 with bowl protection
17106A.C.B.P	FR+L 1/8" 50 04 with bowl protection
17106A.C.C.P	FR+L 1/8" 50 08 with bowl protection
17106A.C.D.P	FR+L 1/8" 50 012 with bowl protection
17106B.A.A.P	FR+L 1/4" 05 02 with bowl protection
17106B.A.B.P	FR+L 1/4" 05 04 with bowl protection
17106B.A.C.P	FR+L 1/4" 05 08 with bowl protection
17106B.A.D.P	FR+L 1/4" 05 012 with bowl protection
17106B.B.A.P	FR+L 1/4" 20 02 with bowl protection
17106B.B.B.P	FR+L 1/4" 20 04 with bowl protection
17106B.B.C.P	FR+L 1/4" 20 08 with bowl protection
17106B.B.D.P	FR+L 1/4" 20 012 with bowl protection
17106B.C.A.P	FR+L 1/4" 50 02 with bowl protection
17106B.C.B.P	FR+L 1/4" 50 04 with bowl protection
17106B.C.C.P	FR+L 1/4" 50 08 with bowl protection
17106B.C.D.P	FR+L 1/4" 50 012 with bowl protection
17107A.A.A	F+R+L 1/8" 05 02
17107A.A.B	F+R+L 1/8" 05 04
17107A.A.C	F+R+L 1/8" 05 08
17107A.A.D	F+R+L 1/8" 05 012
17107A.B.A	F+R+L 1/8" 20 02
17107A.B.B	F+R+L 1/8" 20 04

17107A.B.C	F+R+L 1/8" 20 08
17107A.B.D	F+R+L 1/8" 20 012
17107A.C.A	F+R+L 1/8" 50 02
17107A.C.B	F+R+L 1/8" 50 04
17107A.C.C	F+R+L 1/8" 50 08
17107A.C.D	F+R+L 1/8" 50 012
17107B.A.A	F+R+L 1/4" 05 02
17107B.A.B	F+R+L 1/4" 05 04
17107B.A.C	F+R+L 1/4" 05 08
17107B.A.D	F+R+L 1/4" 05 012
17107B.B.A	F+R+L 1/4" 20 02
17107B.B.B	F+R+L 1/4" 20 04
17107B.B.C	F+R+L 1/4" 20 08
17107B.B.D	F+R+L 1/4" 20 012
17107B.C.A	F+R+L 1/4" 50 02
17107B.C.B	F+R+L 1/4" 50 04
17107B.C.C	F+R+L 1/4" 50 08
17107B.C.D	F+R+L 1/4" 50 012
17107A.A.A.P	F+R+L 1/8" 05 02 with bowl protection
17107A.A.B.P	F+R+L 1/8" 05 04 with bowl protection
17107A.A.C.P	F+R+L 1/8" 05 08 with bowl protection
17107A.A.D.P	F+R+L 1/8" 05 012 with bowl protection
17107A.B.A.P	F+R+L 1/8" 20 02 with bowl protection
17107A.B.B.P	F+R+L 1/8" 20 04 with bowl protection
17107A.B.C.P	F+R+L 1/8" 20 08 with bowl protection
17107A.B.D.P	F+R+L 1/8" 20 012 with bowl protection
17107A.C.A.P	F+R+L 1/8" 50 02 with bowl protection
17107A.C.B.P	F+R+L 1/8" 50 04 with bowl protection
17107A.C.C.P	F+R+L 1/8" 50 08 with bowl protection
17107A.C.D.P	F+R+L 1/8" 50 012 with bowl protection
17107B.A.A.P	F+R+L 1/4" 05 02 with bowl protection
17107B.A.B.P	F+R+L 1/4" 05 04 with bowl protection
17107B.A.C.P	F+R+L 1/4" 05 08 with bowl protection
17107B.A.D.P	F+R+L 1/4" 05 012 with bowl protection
17107B.B.A.P	F+R+L 1/4" 20 02 with bowl protection
17107B.B.B.P	F+R+L 1/4" 20 04 with bowl protection
17107B.B.C.P	F+R+L 1/4" 20 08 with bowl protection
17107B.B.D.P	F+R+L 1/4" 20 012 with bowl protection
17107B.C.A.P	F+R+L 1/4" 50 02 with bowl protection
17107B.C.B.P	F+R+L 1/4" 50 04 with bowl protection
17107B.C.C.P	F+R+L 1/4" 50 08 with bowl protection
17107B.C.D.P	F+R+L 1/4" 50 012 with bowl protection
17108A.E	Coalesing filter 1/8"
17108B.E	Coalesing filter 1/4"
17108A.E.P	Coalesing filter 1/8" with bowl protection
17108B.E.P	Coalesing filter 1/4" with bowl protection
17109A.A	R Panel 1/8" 02
17109A.B	R Panel 1/8" 04
17109A.C	R Panel 1/8" 08
17109A.D	R Panel 1/8" 012
17109B.A	R Panel 1/4" 02
17109B.B	R Panel 1/4" 04
17109B.C	R Panel 1/4" 08
17109B.D	R Panel 1/4" 012
17109A.A.L	R Panel 1/8" 02 non relieving
17109A.B.L	R Panel 1/8" 04 non relieving
17109A.C.L	R Panel 1/8" 08 non relieving
17109A.D.L	R Panel 1/8" 012 non relieving
17109B.A.L	R Panel 1/4" 02 non relieving
17109B.B.L	R Panel 1/4" 04 non relieving
17109B.C.L	R Panel 1/4" 08 non relieving
17109B.D.L	R Panel 1/4" 012 non relieving
17109A.A.SM	1/8" 02 Improved relieving
17109A.B.SM	1/8" 04 Improved relieving
17109A.C.SM	1/8" 08 Improved relieving
17109A.D.SM	1/8" 012 Improved relieving
17109B.A.SM	1/4" 02 Improved relieving
17109B.B.SM	1/4" 04 Improved relieving
17109B.C.SM	1/4" 08 Improved relieving
17109B.D.SM	1/4" 012 Improved relieving
17109A.A.SR	1/8" 02 Unbalanced valve
17109A.B.SR	1/8" 04 Unbalanced valve
17109A.C.SR	1/8" 08 Unbalanced valve

17109A.D.SR	1/8" 012 Unbalanced valve
17109B.A.SR	1/4" 02 Unbalanced valve
17109B.B.SR	1/4" 04 Unbalanced valve
17109B.C.SR	1/4" 08 Unbalanced valve
17109B.D.SR	1/4" 012 Unbalanced valve
17109A.A.SRM	1/8" 02 Unbal. valve, Improved relieving
17109A.B.SRM	1/8" 04 Unbal. valve, Improved relieving
17109A.C.SRM	1/8" 08 Unbal. valve, Improved relieving
17109A.D.SRM	1/8" 012 Unbal. valve, Improved relieving
17109B.A.SRM	1/4" 02 Unbal. valve, Improved relieving
17109B.B.SRM	1/4" 04 Unbal. valve, Improved relieving
17109B.C.SRM	1/4" 08 Unbal. valve, Improved relieving
17109B.D.SRM	1/4" 012 Unbal. valve, Improved relieving
17109A.A.SMF	1/8" 02 Impr. reliev. with controlled relief
17109A.B.SMF	1/8" 04 Impr. reliev. with controlled relief
17109A.C.SMF	1/8" 08 Impr. reliev. with controlled relief
17109B.A.SMF	1/4" 02 Impr. reliev. with controlled relief
17109B.B.SMF	1/4" 04 Impr. reliev. with controlled relief
17109B.C.SMF	1/4" 08 Impr. reliev. with controlled relief
17110.M2	1/4" electropneum.+M2
17120	1/4" pneumatic
17112B.A	1/4" 0-2 bar
17112B.B	1/4" 0-4 bar
17112B.C	1/4" 0-7 bar
17122A.A	1/8" - 0+2 bar
17122A.B	1/8" - 0+4 bar
17122A.C	1/8" - 0+8 bar
17122A.D	1/8" - 0+12 bar
17122B.A	1/4" - 0+2 bar
17122B.B	1/4" - 0+4 bar
17122B.C	1/4" - 0+8 bar
17122B.D	1/4" - 0+12 bar
17122A.A.L	1/8" - 0+2 bar no relieving
17122A.B.L	1/8" - 0+4 bar no relieving
17122A.C.L	1/8" - 0+8 bar no relieving
17122A.D.L	1/8" - 0+12 bar no relieving
17122B.A.L	1/4" - 0+2 bar no relieving
17122B.B.L	1/4" - 0+4 bar no relieving
17122B.C.L	1/4" - 0+8 bar no relieving
17122B.D.L	1/4" - 0+12 bar no relieving
17129A.A	1/8" - 0+2 bar
17129A.B	1/8" - 0+4 bar
17129A.C	1/8" - 0+8 bar
17129A.D	1/8" - 0+12 bar
17129B.A	1/4" - 0+2 bar
17129B.B	1/4" - 0+4 bar
17129B.C	1/4" - 0+8 bar
17129B.D	1/4" - 0+12 bar
17130.A	Shut-off valve 3/2 1/4"
17130.B	Shut-off valve 3/2 1/4" lockable
17130.M2	Electric shut-off 3/2 1/4"
1714A	Pressure switch adapter
1714B	Pressure switch
1714C	Pressure switch complete with adapter
17140	Air intake
17150	Fixing bracket
17160	Assembling kit (seal and screws)
17165	Progr. start-up valve ass. kit (seal and screws)
17070A.A	Pressure Gauge Ø40 range 0-4 bar
17070A.B	Pressure Gauge Ø40 range 0-6 bar
17070A.C	Pressure Gauge Ø40 range 0-12 bar
17070B.A	Pressure Gauge Ø50 range 0-4 bar
17070B.B	Pressure Gauge Ø50 range 0-6 bar
17070B.C	Pressure Gauge Ø50 range 0-12 bar
171E2B.T.A.0005	EL. PROP. REG. SIZE 1 0-10V 0-5 bar
171E2B.T.B.0005	0-10V 0-5 bar+DISPLAY
171E2B.T.C.0005	0-10V 0-5 bar+OUT 0-10V
171E2B.T.D.0005	0-10V 0-5 bar+DISPLAY+OUT 0-10V
171E2B.T.E.0005	0-10V 0-5 bar+OUT 4-20mA
171E2B.T.F.0005	0-10V 0-5 bar+DISPLAY + OUT 4-20mA

171E2B.T.G.0005	0-10V 0-5 bar+DIGIT. OUT
171E2B.T.H.0005	0-10V 0-5 bar+DISPLAY+DIGIT. OUT
171E2B.T.L.0005	0-10V 0-5 bar+RS 232
171E2B.T.M.0005	0-10V 0-5 bar+DISPLAY+RS232
171E2B.C.A.0005	4-20mA 0-5 bar
171E2B.C.B.0005	4-20mA 0-5 bar+DISPLAY
171E2B.C.C.0005	4-20mA 0-5 bar+OUT 0-10V
171E2B.C.D.0005	4-20mA 0-5 bar+DISPLAY+OUT 0-10V
171E2B.C.E.0005	4-20mA 0-5 bar+OUT 4-20mA
171E2B.C.F.0005	4-20mA 0-5 bar+DISPLAY+OUT 4-20mA
171E2B.C.G.0005	4-20mA 0-5 bar+DIGIT. OUT
171E2B.C.H.0005	4-20mA 0-5 bar+DISPLAY+DIGIT. OUT
171E2B.C.L.0005	4-20mA 0-5 bar+RS 232
171E2B.C.M.0005	4-20mA 0-5 bar+DISPLAY+RS232
171E2B.T.A.0009	0-10V 0-9 bar
171E2B.T.B.0009	0-10V 0-9 bar+DISPLAY
171E2B.T.C.0009	0-10V 0-9 bar+OUT 0-10V
171E2B.T.D.0009	0-10V 0-9 bar+DISPLAY+OUT 0-10V
171E2B.T.E.0009	0-10V 0-9 bar+OUT 4-20mA
171E2B.T.F.0009	0-10V 0-9 bar+DISPLAY + OUT 4-20mA
171E2B.T.G.0009	0-10V 0-9 bar+DIGIT. OUT
171E2B.T.H.0009	0-10V 0-9 bar+DISPLAY+DIGIT. OUT
171E2B.T.L.0009	0-10V 0-9 bar+RS 232
171E2B.T.M.0009	0-10V 0-9 bar+DISPLAY+RS232
171E2B.C.A.0009	4-20mA 0-9 bar
171E2B.C.B.0009	4-20mA 0-9 bar+DISPLAY
171E2B.C.C.0009	4-20mA 0-9 bar+OUT 0-10V
171E2B.C.D.0009	4-20mA 0-9 bar+DISPLAY+OUT 0-10V
171E2B.C.E.0009	4-20mA 0-9 bar+OUT 4-20mA
171E2B.C.F.0009	4-20mA 0-9 bar+DISPLAY+OUT 4-20mA
171E2B.C.G.0009	4-20mA 0-9 bar+DIGIT. OUT
171E2B.C.H.0009	4-20mA 0-9 bar+DISPLAY+DIGIT. OUT
171E2B.C.L.0009	4-20mA 0-9 bar+RS 232
171E2B.C.M.0009	4-20mA 0-9 bar+DISPLAY+RS232