

5300.F08.00.00	IN LINE 8 PINS CONNECTOR
5300.F08.00.03	IN LINE 8 PINS CONNECTOR + 3 m. CABLE
5300.F08.00.05	IN LINE 8 PINS CONNECTOR + 5 m. CABLE
5300.F08.90.00	90° 8 PINS CONNECTOR
5300.F08.90.03	90° 8 PINS CONNECTOR + 3 m. CABLE
5300.F08.90.05	90° 8 PINS CONNECTOR + 5 m. CABLE
17201A.A	FIL 1/4" 05
17201A.B	FIL 1/4" 20
17201A.C	FIL 1/4" 50
17201B.A	FIL 3/8" 05
17201B.B	FIL 3/8" 20
17201B.C	FIL 3/8" 50
17202A.A	REG 1/4" 02
17202A.B	REG 1/4" 04
17202A.C	REG 1/4" 08
17202A.D	REG 1/4" 012
17202B.A	REG 3/8" 02
17202B.B	REG 3/8" 04
17202B.C	REG 3/8" 08
17202B.D	REG 3/8" 012
17202A.A.SM	REG 1/4" 02 Improved relieving
17202A.B.SM	REG 1/4" 04 Improved relieving
17202A.C.SM	REG 1/4" 08 Improved relieving
17202A.D.SM	REG 1/4" 012 Improved relieving
17202B.A.SM	REG 3/8" 02 Improved relieving
17202B.B.SM	REG 3/8" 04 Improved relieving
17202B.C.SM	REG 3/8" 08 Improved relieving
17202B.D.SM	REG 3/8" 012 Improved relieving
17202A.A.L	REG 1/4" 02 no relieving
17202A.B.L	REG 1/4" 04 no relieving
17202A.C.L	REG 1/4" 08 no relieving
17202A.D.L	REG 1/4" 012 no relieving
17202B.A.L	REG 3/8" 02 no relieving
17202B.B.L	REG 3/8" 04 no relieving
17202B.C.L	REG 3/8" 08 no relieving
17202B.D.L	REG 3/8" 012 no relieving
17202A.P	REG 1/4" 0÷12
17202B.P	REG 3/8" 0÷12
17202A.P.L.	REG 1/4" 0÷12 no relieving
17202B.P.L	REG 3/8" 0÷12 no relieving
17203A	LUB 1/4"
17203B	LUB 3/8"
17203A.MA	1/4" - Contact N.O. - Connector
17203A.MC	1/4" - Contact N.C. - Connector
17203B.MA	3/8" - Contact N.O. - Connector
17203B.MC	8/4" - Contact N.C. - Connector
17204A.A.A	FR 1/4" 05 02
17204A.A.B	FR 1/4" 05 04
17204A.A.C	FR 1/4" 05 08
17204A.A.D	FR 1/4" 05 012
17204A.B.A	FR 1/4" 20 02
17204A.B.B	FR 1/4" 20 04
17204A.B.C	FR 1/4" 20 08
17204A.B.D	FR 1/4" 20 012
17204A.C.A	FR 1/4" 50 02
17204A.C.B	FR 1/4" 50 04
17204A.C.C	FR 1/4" 50 08
17204A.C.D	FR 1/4" 50 012
17204B.A.A	FR 3/8" 05 02
17204B.A.B	FR 3/8" 05 04
17204B.A.C	FR 3/8" 05 08
17204B.A.D	FR 3/8" 05 012
17204B.B.A	FR 3/8" 20 02
17204B.B.B	FR 3/8" 20 04
17204B.B.C	FR 3/8" 20 08
17204B.B.D	FR 3/8" 20 012
17204B.C.A	FR 3/8" 50 02

17204B.C.B	FR 3/8" 50 04
17204B.C.C	FR 3/8" 50 08
17204B.C.D	FR 3/8" 50 012
17206A.A.A	FR+L 1/4" 05 02
17206A.A.B	FR+L 1/4" 05 04
17206A.A.C	FR+L 1/4" 05 08
17206A.A.D	FR+L 1/4" 05 012
17206A.B.A	FR+L 1/4" 20 02
17206A.B.B	FR+L 1/4" 20 04
17206A.B.C	FR+L 1/4" 20 08
17206A.B.D	FR+L 1/4" 20 012
17206A.C.A	FR+L 1/4" 50 02
17206A.C.B	FR+L 1/4" 50 04
17206A.C.C	FR+L 1/4" 50 08
17206A.C.D	FR+L 1/4" 50 012
17206B.A.A	FR+L 3/8" 05 02
17206B.A.B	FR+L 3/8" 05 04
17206B.A.C	FR+L 3/8" 05 08
17206B.A.D	FR+L 3/8" 05 012
17206B.B.A	FR+L 3/8" 20 02
17206B.B.B	FR+L 3/8" 20 04
17206B.B.C	FR+L 3/8" 20 08
17206B.B.D	FR+L 3/8" 20 012
17206B.C.A	FR+L 3/8" 50 02
17206B.C.B	FR+L 3/8" 50 04
17206B.C.C	FR+L 3/8" 50 08
17206B.C.D	FR+L 3/8" 50 012
17207A.A.A	F+R+L 1/4" 05 02
17207A.A.B	F+R+L 1/4" 05 04
17207A.A.C	F+R+L 1/4" 05 08
17207A.A.D	F+R+L 1/4" 05 012
17207A.B.A	F+R+L 1/4" 20 02
17207A.B.B	F+R+L 1/4" 20 04
17207A.B.C	F+R+L 1/4" 20 08
17207A.B.D	F+R+L 1/4" 20 012
17207A.C.A	F+R+L 1/4" 50 02
17207A.C.B	F+R+L 1/4" 50 04
17207A.C.C	F+R+L 1/4" 50 08
17207A.C.D	F+R+L 1/4" 50 012
17207B.A.A	F+R+L 3/8" 05 02
17207B.A.B	F+R+L 3/8" 05 04
17207B.A.C	F+R+L 3/8" 05 08
17207B.A.D	F+R+L 3/8" 05 012
17207B.B.A	F+R+L 3/8" 20 02
17207B.B.B	F+R+L 3/8" 20 04
17207B.B.C	F+R+L 3/8" 20 08
17207B.B.D	F+R+L 3/8" 20 012
17207B.C.A	F+R+L 3/8" 50 02
17207B.C.B	F+R+L 3/8" 50 04
17207B.C.C	F+R+L 3/8" 50 08
17207B.C.D	F+R+L 3/8" 50 012
17208A.E	Coalescing filter 1/4"
17208B.E	Coalescing filter 1/8"
17210.M2	3/8" electropneum.+M2
17220	3/8" pneumatic
17212A.A	1/4" 0-2 bar
17212A.B	1/4" 0-4 bar
17212A.C	1/4" 0-7 bar
17222A.A	1/4" 0÷2
17222A.B	1/4" 0÷4
17222A.C	1/4" 0÷8
17222A.D	1/4" 0÷12
17222B.A	3/8" 0÷2
17222B.B	3/8" 0÷4
17222B.C	3/8" 0÷8
17222B.D	3/8" 0÷12
17222A.A.L	1/4" 0÷2 bar no relieving
17222A.B.L	1/4" 0÷4 bar no relieving
17222A.C.L	1/4" 0÷8 bar no relieving

17222A.D.L	1/4" 0÷12 bar no relieving
17222B.A.L	3/8" 0÷2 bar no relieving
17222B.B.L	3/8" 0÷4 bar no relieving
17222B.C.L	3/8" 0÷8 bar no relieving
17222B.D.L	3/8" 0÷12 bar no relieving
17230.A	Shut-off valve 3/2 3/8"
17230.B	Shut-off valve 3/2 3/8" lockable
1724A	Pressure switch adapter
1714B	Pressure switch
1724C	Press. switch compl. with adapter
17240	Air intake
17240.U	Unidirectional air intake
17250	Fixing bracket
17260	Assembling kit (seal and 2 screws)
17265	Progr. start-up valve ass. kit (seal and screws)
17070A.A	Pressure Gauge Ø40 range 0-4 bar
17070A.B	Pressure Gauge Ø40 range 0-6 bar
17070A.C	Pressure Gauge Ø40 range 0-12 bar
17070B.A	Pressure Gauge Ø50 range 0-4 bar
17070B.B	Pressure Gauge Ø50 range 0-6 bar
17070B.C	Pressure Gauge Ø50 range 0-12 bar